

PageSpeed Insights

Mobile



59 / 100 Speed

Should Fix:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://inspiresayan.com/>
- <https://inspiresayan.com/>
- <https://www.inspiresayan.com/>

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Mobile

Your page has 1 blocking script resources and 4 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://www.inspiresayan.com/wp-content/cache/busting/1/wp-includes/js/jquery/jquery-1.12.4.js>

[Optimize CSS Delivery](#) of the following:

- <https://fonts.googleapis.com/css?family=Open+Sans%3A400%7CRoboto+Slab%3A400>
- <https://www.inspiresayan.com/wp-content/cache/min/1/b6d40f91cbdc7d64c09b2ab942c6dccb.css>
- <https://fonts.googleapis.com/css?family=Open+Sans%3A400%7CRoboto+Slab%3A400>
- <https://www.inspiresayan.com/wp-content/cache/min/1/b6d40f91cbdc7d64c09b2ab942c6dccb.css>

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- https://ton.twimg.com/tfw/css/syndication_bundle_v1_0f800c4c60206a3994a34989ef109e9eba493ffa.css (60 seconds)
- https://cdn.syndication.twimg.com/timeline/profile?callback=__twtr.callbacks.tl_i0_profile_InspireSayan_old&dnt=false&domain=www.inspiresayan.com&lang=en&screen_name=InspireSayan&suppress_response_codes=true&t=1704968&tz=GMT-0700&with_replies=false (5 minutes)
- https://syndication.twitter.com/settings?widget_origin=https%3A%2F%2Fwww.inspiresayan.com%2Fhome (10 minutes)

- https://connect.facebook.net/en_US/sdk.js?_=1534471766644 (20 minutes)
- <https://platform.twitter.com/widgets.js> (30 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 39KiB (24% reduction).

- Compressing https://tpc.googlesyndication.com/daca_images/simgad/8675827284901571035?sqp=4sqPyQSVAUKSAQgAEhQNzczMPhUAAABAHQAAAAAIAAAAAABgAlgoNAACAPxUAAIA_Kk4IWhABHQAAtElgACgBMAY4A0CAwtcvSAFQAFgAYFpwAngAgAEAiAEAkAEAnQEAAIA_oAEAqAEBsAHQjAG4Af_____wHFAZqZmT4yGgiABhCSAxgBIAEtAAAAPzCBBjiSA0UAAIA_&rs=AOga4qLpf-o9QNWnZPPLJRFNt0AMz6aUQ could save 14.2KiB (23% reduction).
- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/yX/r/Kvo5FesWVKX.png> could save 6.8KiB (37% reduction).
- Compressing https://pbs.twimg.com/card_img/1029106686039023617/wqb1J6zz?format=png&name=600x314 could save 4.3KiB (16% reduction).
- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/yM/r/ICEsvFCRBft.png> could save 4.1KiB (40% reduction).
- Compressing https://tpc.googlesyndication.com/daca_images/simgad/3549325265704088891?sqp=-oaymwEOCNgEENgEIAFISFABWAE&rs=AOga4qLJGug1nQZ2b0z2NrFsN67OBONd6w could save 3.2KiB (14% reduction).
- Compressing <https://www.inspiresayan.com/wp-content/uploads/2018/08/Untitled.png> could save 1.3KiB (25% reduction).
- Compressing https://pbs.twimg.com/profile_images/936550027601645569/dj0hgvmK_bigger.jpg could save 1,016B (42% reduction).
- Compressing https://pbs.twimg.com/profile_images/1011908256812470272/zCIEBwwv_bigger.jpg could save 1,010B (29% reduction).
- Compressing https://scontent-mia3-1.xx.fbcdn.net/v/t1.0-0/p100x100/39468327_1573587832787481_1891391257993805824_n.jpg?_nc_cat=0&oh=ac503c16e51e79a82565b67485373034&oe=5BFE9D75 could save 988B (19% reduction).

Mobile

- Compressing https://scontent-mia3-1.xx.fbcdn.net/v/t1.0-0/p100x100/39249665_1573587886120809_7496223523715678208_n.jpg?_nc_cat=0&oh=d9f46e3b0440dd77e73546ac9bc636cf&oe=5C0F072E could save 946B (18% reduction).
- Compressing https://scontent-mia3-1.xx.fbcdn.net/v/t1.0-0/p100x100/39345262_1573587942787470_552105418696949760_n.jpg?_nc_cat=0&oh=b2a171aa29797a7ff73dda6d35b0d03a&oe=5BFAC1F0 could save 928B (21% reduction).
- Compressing https://scontent-mia3-1.xx.fbcdn.net/v/t1.0-1/p50x50/36677965_1517540731725525_8952837359754280960_n.jpg?_nc_cat=0&oh=802940e82590a68613e2b15fce989809&oe=5C031E44 could save 436B (31% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 3% of the final above-the-fold content could be rendered with the full HTML response.
- [Click to see the screenshot with only the HTML response: snapshot:2](#)



4 Passed Rules

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

94 / 100 User Experience

Consider Fixing:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 789 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

- The element `<iframe id="aswift_3" name="aswift_3" class="lazyloaded">` falls outside the viewport.
- The element `<iframe id="aswift_4" name="aswift_4">` falls outside the viewport.
- The element `<iframe id="aswift_5" name="aswift_5">` falls outside the viewport.
- The element `<iframe id="aswift_6" name="aswift_6">` falls outside the viewport.
- The element `<iframe id="aswift_2" name="aswift_2">` falls outside the viewport.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a

Mobile

touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<div id="vce-main">HomeAbout UsWr...iersContact Us</div>` is close to 1 other tap targets final.
- The tap target `Event` and 15 others are close to other tap targets final.
- The tap target `` is close to 1 other tap targets final.
- The tap target `Meet the compa...miss this one.` is close to 1 other tap targets.
- The tap target `Add Comment` and 17 others are close to other tap targets.
- The tap target `` is close to 1 other tap targets.
- The tap target `We supply new...rking reliably` is close to 1 other tap targets.
- The tap target `` is close to 1 other tap targets.
- The tap target `Find Out Which...Dividend Here.` is close to 1 other tap targets.
- The tap target `` is close to 1 other tap targets.
- The tap target `` and 1 others are close to other tap targets.
- The tap target `#bhuvanbam` and 1 others are close to other tap targets.
- The tap target `Home` and 4 others are close to other tap targets.



3 Passed Rules

Avoid plugins

Mobile

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



76 / 100 Speed

! Consider Fixing:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://inspiresayan.com/>

Desktop

- <https://inspiresayan.com/>
- <https://www.inspiresayan.com/>

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- https://ton.twimg.com/tfw/css/syndication_bundle_v1_0f800c4c60206a3994a34989ef109e9eba493ffa.css (60 seconds)
- https://cdn.syndication.twimg.com/timeline/profile?callback=__twtr.callbacks.tl_i0_profile_InspireSayan_old&dnt=false&domain=www.inspiresayan.com&lang=en&screen_name=InspireSayan&suppress_response_codes=true&t=1704968&tz=GMT-0700&with_replies=false (5 minutes)
- https://syndication.twitter.com/settings?widget_origin=https%3A%2F%2Fwww.inspiresayan.com%2Fhome (10 minutes)
- https://connect.facebook.net/en_US/sdk.js?_=1534471797740 (20 minutes)
- <https://platform.twitter.com/widgets.js> (30 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://www.inspiresayan.com/wp-content/cache/busting/1/wp-includes/js/jquery/jquery-1.12.4.js>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 22.8KiB (26% reduction).

- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/yX/r/Kvo5FesWVKX.png> could save 6.8KiB (37% reduction).
- Compressing https://pbs.twimg.com/card_img/1029106686039023617/wqb1J6zz?format=png&name=600x314 could save 4.3KiB (16% reduction).
- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/yM/r/ICESvFCRBft.png> could save 4.1KiB (40% reduction).
- Compressing <https://www.inspiresayan.com/wp-content/uploads/2018/08/Untitled.png> could save 1.3KiB (25% reduction).
- Compressing <https://www.inspiresayan.com/wp-content/uploads/2018/08/Untitled.png> could save 1.3KiB (25% reduction).
- Compressing https://scontent-mia3-1.xx.fbcdn.net/v/t1.0-0/p100x100/39468327_1573587832787481_1891391257993805824_n.jpg?_nc_cat=0&oh=ac503c16e51e79a82565b67485373034&oe=5BFE9D75 could save 988B (19% reduction).
- Compressing https://scontent-mia3-1.xx.fbcdn.net/v/t1.0-0/p100x100/39249665_1573587886120809_7496223523715678208_n.jpg?_nc_cat=0&oh=d9f46e3b0440dd77e73546ac9bc636cf&oe=5C0F072E could save 946B (18% reduction).
- Compressing https://scontent-mia3-1.xx.fbcdn.net/v/t1.0-0/p100x100/39345262_1573587942787470_552105418696949760_n.jpg?_nc_cat=0&oh=b2a171aa29797a7ff73dda6d35b0d03a&oe=5BFAC1F0 could save 928B (21% reduction).
- Compressing https://pbs.twimg.com/profile_images/936550027601645569/dj0hgvmK_normal.jpg could save 918B (49% reduction).
- Compressing https://pbs.twimg.com/profile_images/1011908256812470272/zCIEBwwv_normal.jpg could save 901B (42% reduction).
- Compressing https://scontent-mia3-1.xx.fbcdn.net/v/t1.0-1/p50x50/36677965_1517540731725525_8952837359754280960_n.jpg?_nc_cat=0&oh=802940e82590a68613e2b15fce98980

Desktop

9&oe=5C031E44 could save 436B (31% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 50% of the final above-the-fold content could be rendered with the full HTML response.
- [Click to see the screenshot with only the HTML response: snapshot:2](#)



4 Passed Rules

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Desktop

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).